

CERTIFICATE OF APPROVAL
No. ME0100

This is to certify that the referenced products of

Middle East Metal and Wood Industries Co Ltd.

P.O Box 502, Riyadh 11383, Kingdom of Saudi Arabia
Tel: +966 1 265 0 666 Fax: +966 1 265 0 688

have been assessed against the requirements of the *warringtonfire – mideast certification scheme* and are approved for use within the scope of the test and/or assessment report(s) referenced.

“60 minute” rated Timber Doors in Steel Frames

Performance In Accordance With The UBC Standard 7-2 (1997) “Fire Tests of Door Assemblies”, NFPA 252 (1999) and UL 10C (1998)

Test Report Reference	Test Report Reference
Intertek ETL SEMKO Report No. 3061295-01	Intertek Report No. 3074812-2rev

Approved Maximum Door Leaf Dimensions		
Configuration	Leaf Height (mm)	Leaf Width (mm)
Latched, Single-Acting, *Double-Leaf, 44 mm thick (note: inactive leaf flush bolted top & bottom, active leaf latched to inactive leaf at mid-height) *Doors shall be constructed with 75 mm wide by 38 mm deep GP Firestop stiles.	2350	1200
Latched, Single-Acting, Single-Leaf, 44 mm thick	2350	1200

Page 1 of 2

Certification is awarded on the basis of initial type testing to UBC Standard 7-2 (1997) “Fire Tests of Door Assemblies”, NFPA 252 (1999) and UL 10C (1998), initial inspection and ongoing surveillance of factory production control, and ongoing compliance with the scheme requirements including the use of labels supplied by Bodycote **warringtonfire**. The currency of the certification may be verified at www.warringtonfire.net/mideast.

Signed for and on behalf of Warrington Certification



Sir Ken Knight
Chairman - Management Council

Issued: 5th March 2009
Valid to: 4th March 2014

Page 2 of 2

Intertek

CERTIFICATE OF COMPLIANCE

THIS CERTIFIES that **MIDDLE EAST METAL & WOOD INDUSTRIES CO. LTD. (METALCO)** formerly known as **METALCO** is listed by Intertek/Warnock Hersey as a manufacturer of Fire-Rated Wood Doors and is authorized to produce and supply labeled fire doors with the following rating in accordance with the standards of: UL 10B (1997), UL 10C (1998) "Standard for Safety Fire Tests of Doors Assemblies", UBC 7-2-1994 (Part 1), and UBC 7-2-1997 (Part 1) "Fire Tests of Door Assemblies", NFPA 252-1999, CAN4-S104-1980 (R1985) and BS 476 Part 22.

60 Minutes

THIS CERTIFICATE is only valid under Intertek/WHI Testing, Inspection and Labeling Services. Intertek/Warnock Hersey Certified products **MUST** bear a certification label showing the WHI logo and the hourly rating of the product.

Issued: January 1, 2009

Expires: December 31, 2010

By: 

Bob Davison
Certification Manager

Intertek Testing Services NA, Ltd.
6225 Kenway Drive, Mississauga, Ontario, Canada L5T 2L3
Telephone: (905) 678-7820 Fax: (905) 362-0303
Web: www.intertek-elsemko.com Email: bob.Davison@intertek.com